

Ampatop® Seal GHS

Weldable roof membrane



- > Weldable with solvent bonding **Ampacoll® LiquiSeal** and/or heat
- > Both sides are processed, no waste
- > Monolithic TPU technology
- > For low roof pitches
- > Quality seal of the association «Gebäudehülle Schweiz»

Technical details		Value	Standard
s _d value		0,2m	EN 1931
Weight		350g/m ²	EN 1849-2
Fire performance		E	EN 13501-1
Tear resistance	longitudinal transverse	350N/5 cm 380N/5 cm	EN 12 311-2/A
Tear elongation	longitudinal transverse	50% 70%	EN 12 311-2/A
Resistance to further tearing (nail shaft)	longitudinal transverse	250 240	EN 12 310-1
Temperature resistance		-40°C to +100°C	
Resistance to water penetration ¹		W1+	EN 1928, GHS
Outdoor weathering		6 months	
Minimum roof slope		3°	
5000-hour-test		passed	
Abrasion resistance		passed	GHS
Hail resistance		HW4 passed	VKF
Driving rain impermeability		passed	TU Berlin, GHS
Welding temperature		240–280°C	

¹ Tested using distilled water (20cm; 24h)

*Conditions for the twenty-year premium warranty include registering the building object and the Ampack products used. In addition, our products must be used as part of a system. For further details, please see our General Warranty Conditions.



Quality seal of the association «Gebäudehülle Schweiz»

 **ISO 9001**
Swiss Research


13859-1

Forms of delivery

Article number	Description	Roll dimensions	Content of pallets
7640442090677	Ampatop® Seal GHS 1,5m	1,5m×30m = 45m ²	30 rolls = 1350m ²
7640442090691	Ampatop® Seal GHS 3,0m	3,0m×20m = 60m ²	30 rolls = 1800m ²
7640442090714	Ampatop® Seal GHS Jumbo 1,5m	1,5m×400m = 600m ²	1 roll = 600m ²
7640442090738	Ampatop® Seal GHS Jumbo 3,0m	3,0m×400m = 1200m ²	1 roll = 1200m ²

Accessories



Application video
 YouTube



Please observe the recommenda-
tions for use and further system
products in our adhesives matrix



Further information and
detailed documentation at
www.ampack.biz

Sales via specialist dealers

Ampack Switzerland: +41 (0)71 858 38 00
Ampack Austria: +43 (0)5523 53433
Ampack Germany: +49 (0)7621 1610264
Ampack France: +33 (0)4 50 83 70 54
Ampack Italy: +39 (0)471 053 475

www.ampack.biz



The following information could have been superseded by new findings or developments.
Current Information can be found at www.ampack.biz. © Ampack AG, Rorschach, 02.2021

2301EU/EX.YY(VS)0221